

AMENDED

Serial No. 54233

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE
STATE OF NEVADA HERETOFORE APPROPRIATED

DEC 14 1989

Date of filing in State Engineer's Office.....

JAN 4 1990

Returned to applicant for correction.....

MAR 2 1990

Corrected application filed..... Map filed..... MAR 2 1990 under 54233

Charles C. King, Eric A Jamieson, Gene C. Davis, and Charles J.

The applicant King, Trustees under Trust Document for the benefit of Sam Lawson

302 E. Carson Suite 810

of Las Vegas

Street and No. or P.O. Box No.

City or Town

Nevada 89101

State and Zip Code No.

hereby make... application for permission to change the

Point of Diversion and place of use

Point of diversion, manner of use, and/or place of use

of water heretofore appropriated under Permit No. 46954

(Identify existing right by Permit, Certificate, Proof or Claim Nos. If Decreed, give title of Decree and

identify right in Decree.)

1. The source of water is... underground

Name of stream, lake, underground spring or other source.

2. The amount of water to be changed... 2.7 c.f.s.

Second feet, acre feet. One second foot equals 448.3 gallons per minute.

3. The water to be used for... Irrigation

Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

4. The water heretofore permitted for... Irrigation

Irrigation, power, mining, industrial, etc. If for stock state number and kind of animals.

5. The water is to be diverted at the following point... NW 1/4 NW 1/4 Section 21, T.41N., R.54E., M.D.M.

Describe as being within a 40-acre subdivision of public survey and by course and

at a point from which the NW Corner of Section 17, T.41N., R.54E., M.D.M. bears

distance to a section corner. If on unsurveyed land, it should be stated.

N 45°47'47" W 8,753 Feet

6. The existing permitted point of diversion is located within NW 1/4 NW 1/4 Section 17, T.41N., R.54E., M.D.M.

If point of diversion is not changed, do not answer

at a point from which the NW Corner of Said Section 17 bears N 58° 17' 28" W, 1054.81

feet

7. Proposed place of use 160 acres within the NW 1/4 SE 1/4, NE 1/4 SE 1/4, SE 1/4 SE 1/4 Section 17 and the

Describe by legal subdivisions. If for irrigation state number of acres to be irrigated.

SW 1/4 Section 16, both T.41N., R.54E., M.D.M.

8. Existing place of use 160 acres within the NW 1/4 SE 1/4, NE 1/4 SE 1/4, SE 1/4 SE 1/4 Section 17 and the

Describe by legal subdivisions. If permit is for irrigation, state number of acres irrigated. If changing place of use and/or

NW 1/4 SW 1/4, NE 1/4 SW 1/4, SW 1/4 SW 1/4 Section 16, both T.41N., R.54E., M.D.M. use 46954 (map).

manner of use of irrigation permit, describe acreage to be removed from irrigation.

9. Use will be from... January 1 to December 31 of each year.

Month and Day

Month and Day

10. Use was permitted from... January 1 to December 31 of each year.

Month and Day

Month and Day

11. Description of proposed works. (Under the provisions of NRS 535.010 you may be required to submit plans and

specifications of your diversion or storage works.) Drilled well with pump and motor to convey

State manner in which water is to be diverted, i.e., diversion structure, ditches,

water through conduit to sprinkler irrigation system

pipes and flumes, or drilled well, etc.

12. Estimated cost of works... \$30,000.00

13. Estimated time required to construct works... 2 years

14. Estimated time required to complete the application of water to beneficial use 5 years

15. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use.

By s/Michael D. Buschelman Agent
5405 Mae Anne Ave.
Reno, Nevada 89523

Compared.....pm/ bp.....

Protested.....

DENIAL

OF STATE ENGINEER

~~This is to certify I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:~~

This application is hereby denied on the grounds that the Applicants have not submitted the data and information requested by the State Engineer's office, and that without this information granting of the application would threaten to prove detrimental to the public interest.

The amount of water to be changed shall be limited to the amount which can be applied to beneficial use, and not to exceed.....cubic feet per second.....

Work must be prosecuted with reasonable diligence and be completed on or before_____

Proof of completion of work shall be filed before.....

Application of water to beneficial use shall be made on or before.....

Proof of the application of water to beneficial use shall be filed on or before.....

Map in support of proof of beneficial use shall be filed on or before_____

Completion of work filed..... IN TESTIMONY WHEREOF, I TRACY TAYLOR, P.E.

Same Engines: Of course, have the same set of my hand and the seat of my

office, this 7th day of September,

A.D. ~~10~~ 2007. ✓

Certificate No. _____ Issued _____

State Engineer

